



Tooltalk Deals

The best tools and equipment from around the world! Special offers and bonus deals PLUS workshop equipment MILWAUKEE TOOLS

Pages 5-7

March 2024

QUALITY GERMAN ENGINEERED TOOLS

KNIPEX





Pliers Set 4 Pc - Construction

Contents:

- 0201200 Combination Pliers 200mm (8")
- 8201200 Twin Grip Pliers 200mm (8")
- 6801200 End Nippers 200mm (8")
- 8701250 Cobra water pump pliers 250mm









VDE Screwdriver Set + 1 Single Phase Voltage Tester



- Suitable for electrical repair work
- VDE insulated for safe operation up to 1000 V
- Solid handle for fast working speed
- Soft grip for high torque transfer



002008CN

\$219







3 Pc Flexible Hose Clamp Kit

Uniquely designed jaws have smooth rounded edges to prevent internal hose linings from damage. Made from durable non-conductive plastic material. Set contains:

• 3 Flexible Plastic Line Clamp Pliers (small, medium and large).



TOOLS

Upholstery Clip Remover (V Opening)



1001

\$22



17 Pc File Set

- A complete set of 17 files-including 4 large flat, triangular, semicircular and circular files. 12-piece needle file for precise shaping, with additional carrying case and document card
- Heavy-duty and long-lasting steel file kit-Considering maximum durability and comfort, precision milled teeth will conquer any DIY project, while forged T12 coated carbon steel will ensure long-lasting filing and forming performance



Dual Magnetic Parts Tray, 240 x 140mm

- Permanent magnet with heavy duty rubber scratch guard
- · Made from stainless steel



WSFS17

WSE3702

Chain Wrench 200mm (8")

- Head design permits turning in either direction without removing wrench from the work. Ratcheting action also makes it possible to re-grip without removal
- Handles all shapes, round, square, hexagon, octagon etc.
- Handles are forged from high grade alloy steel





25Pc 1-13 X 0.5mm HSS Twist Drill Set

- Fully Ground bright finish
- Budget priced

WS21103

- In metal case
- Material: HSS Steel



H25014

\$109

AUTOSTAR Retractable Electrical Cable Reel, 15m

- Spring loaded system
- Auto roll-up and auto stop
- Safety lock and overheat protector
- Hose guide system
- Suitable for using in garage, workshop, repair shop, etc



Water Hose Reel

- Casing material: PP
- Hose Lenath: 25+2m
- Hose Material: PVC
- Hose Size: 1/2'
- Fitting: 3/4"
- Working Pressure: 120psi
- Net Weight: 9kg



ZYW011S25

8156

ER15M

Hood Holder, 735mm - 1205mm

- To use... open bonnet or door and place large end of the column in a stable and stationary location, then position small telescopic rod on a secure spot under the hood
- Extend telescoping rod to desired opening
- Pressure of the hood or door secures hood holder in position







350 Lumen Neck Light

The NL-350R is an innovative rechargeable neck light. It has 2 high quality 175 lumen SMD LEDs, combining to make 350 lumens. A super lightweight design, it only weighs 140g, therefore not straining your neck during use. Both lights can rotate up and down up to 120-degrees, angling the light precisely where required



NL350R





LCD Multi-Function Auto Tester

- Polarity testing: Determines the polarity, positive, negative, short/open circuit
- Activating the components with positive and negative current without a jumper wire
- Testing the voltage and continuity of the circuit. Bright LED illuminates work area
- Testing the voltage of the circuit, voltage reading is indicated on the LCD display within 1/10th of a volt

6511



750 Amp Booster Cable 12/24V

- · Heavy duty Booster Cables with insulated battery clamps
- Surge protected with 3.5M cables



750ABC

\$104

Also Available:

• 900 Amp (900ABC) \$125

Mechanical Crimping Tool, 6-50mm, 390mmL

- Rotatable hexagonal crimping jaws
- Effort-saving and low maintenance mechanical drive
- Exact cross-section assignment thanks to permanent marking on the jaws
- HHYJ-50 is for tubular cable lugs and connectors 6-50 mm2



Ratcheting Crimping Pliers Set 6 Pc

Tool with 6 pairs of dies:

- DIES(03C)
- DIES(03B)
- DIES(04WF)
- DIES(16WF)
- DIES(10)
- DIES(02H3)

IV03C6D



HHYJ50

allGSUN° Voltage Tester 2-13.5V

- Max. Range 13.5V
- 2.0V/3.0V/4.0V/5.0V
- 9.0V/12.0V/12.5V/13.5V
- LED lights up to the Voltage reading
- Frequency range: 0 to 60Hz



Digital LCD Circuit Tester 6,12, 24, 36, 48 Volt DC

- Digital display to read the accurate voltage value
- LED indication for power
- Stainless steel testing probe
- Voltage measurement from 4 to 60 Volts DC
- Spring cable, which is able to extend to 3 meters
- Small testing current < 10mA

GK9A

832

Digital Tyre Tread Depth Gauge 0-25mm x 0.01mm/0.005"

- Large LCD Display
- Zero setting at any position
- Metric and Inch system interchange
- Manual power on/off
- Suitable for tread depth, brake show and pad wear
- Supplied with CR2032, 3V Micro button battery





3015

22 Pc Alternator Insert Bit Service Set

M10 Spline Bit Socket w/ 33 Teeth Nut 110mm, M10 Spline Bit Socket w/ 31 Teeth Nut 98mm, M10 Spline Bit 14mm Hex Drive 57mm, M10 Spline Bit Socket 110mm, T50 Torx-r Bit Socket w/ 33 Teeth Nut 110mm, M10 & M8 Spline Bits 75mm, T40 & T50 Torx-r Bits 75mm 8mm & 10mm, Hexagon Bits 75mm, 33 Teeth

Alternator Nut w/ 15, 17, 22mm, Hex Tip 17mm & 22mm, Hexagon Alternator Nut 28mm x 22, 21, 19mm, Hexagon Alternator Nut 4 Point Alternator w/ 17mm Hex Tip, 3 Point Alternator w/ 38mm Hex Tip, 1/2" Square Drive x 10mm Hex Bit Holder

TX2202



Standard Spider Filter Wrench

- Works Both Left & Right Hand
- Fits the small Asian Filters thru to Large US Filters Reversible style enables removal or installation of filters in hard to reach places
- Features huge size range
- For use when access to filter is only from the end
- Three positive legs adjust to grip filter firmly





Comprehensive Brake Tool Set 15 Pc

Brake Line Flare Nut Wrenches. Brake Spring Pliers for rivetted brake linings. Brake Spring Pliers for bonded brake linings. Screwdrivers with impact for disc brake fixing screws. Screwdriver sockets for brake caliper screws. Tool for installing & removing fixing springs. Screwdriver socket with universal joint. Brake Caliper Brush for dirt & dust removal Brake Caliper. Brush for aluminium brake calipers. Brake Cable Spring Pliers for hand brake. Brake Caliper File with integrated flat scraper.







4278







Combination Wrench Set 26 Pc **Metric Euro Pattern**

- Euro Combination Wrenches are extra thin in both the ring and the open end thickness. They are forged from 6140 Alloy Steel and have a super smooth Platinum Surface finish
- Supplied in stitched canvas vinyl wallet



Stubby Combination Wrench Set 12pc Metric 10 - 22mm

- Stubby combination wrenches feature flat drive
- Forged from 6140 chrome alloy steel with full mirror polish finish
- Supplied on rib-lock rack



71026

\$336

Gear Ratchet Wrench Set 12pc **Reversible Metric 8 - 19mm**

- 72 teeth reversible GearWrench ring and open end. Supplied with Riblock storage rack.
- Sizes: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm



13110S

\$14R

Gear Ratchet Wrench Flex-Head Tools Set 12 Pc, Metric 8 - 19mm

- · Add this comprehensive set of flex-head gear ratchet wrenches so you can access hard to reach nuts/bolts in confined space
- 72 teeth fine ratchet mechanism that gives 5° arc swing
- Surface drive on ring end avoids rounding of nuts/bolts
- Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16 17, 18, 19mm



13000

13012R \$262

1/2" Dr. Deep Thin Wall Wheel Socket Set 5 Pc

Special thin wall deep impact sockets are fitted with protective sleeves and inserts to prevent marking alloy wheels and to protect chrome wheel nuts.

- Sizes: 15mm, 17mm, 19mm, 21mm, 22mm
- Length: 85mm (3.3/8")



9 Pc Metric In-Hex 1/2" Dr. Socket Set Long Series

- 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm
- In-hex sockets 1/2" drive x 100mm long
- Supplied in blow mould case



CW404MS

sgn

94109

\$1NR

Also Available:

9 Piece SAE In-Hex 1/2" Dr. Socket Set (Long Series) (94108) \$106

1/2" Dr 32 Pc T20-T70 Torx Socket Set

- T20-T70 (55mm long)
- T20-T70 (100mm long)
- T40-T70 (140mm long)
- T40-T70 (200mm long)



ENIUS®

46 Pc 1/2" Dr. Metric & SAE Hand Socket Set (12-Point)

- A traditional 1/2"Dr combination set in a sturdy metal case and top seller for many years
- Metric: Std 8 to 32mm
- SAE: Std 3/8"to 1.1/4"
- Spark Plug: 16, 20.6mm
- Plus ratchet and accessories



T3202

J7463

1/2" Dr Gland Nut Wrench 25-95mm

- Fully adjustable to fit hydraulic cylinders on vehicles & machinery having gland nuts with pin holes located on the face of the gland nut or fitting
- Works on both 7/32" and 1/4" (5 or 6mm) pin holes





TW446MSA

*\$*374

3/4" Dr 12p Socket Set 21 Pc, Metric

- 3/4" Drive Sockets (12P): 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, & 50mm
- Extensions: 100mm (4"), 200mm (8")
- Sliding T-Handle
- Heavy- Duty Ratchet



95521A

8572



• 3/4" Dr 12pc, SAE (95321A) \$529





Milwaukee

TORQUE LOCK™ Chain Wrench 228mm (9")

- Torque Lock™: Faster setup and easy release
- Lever release design: Traditional release lever for jobsite convenience
- Locking chain wrench holds and locks around any shape object
- Forged Alloy Steel: For Maximum Tool Strength and Durability
- Rust Protection: Increases tool life by reducing corrosion
- Adjusts quickly for ratchet action in either direction







Adaptable Bolt Cutter, 600/762mm (24"/30")

- POWERMOVE extendable handles
- Bolt lock prevents loosening
- Comfort grip
- Max capacity soft/medium materials (less than 31 HRC) 11mm
- Max capacity hard materials (up to 48 HRC) 8mm
 - Forged steel blades for longer life
 - Adjustable blades
- · Lanyard holes

48224124

\$189





Propex Tubing Cutter

The Milwaukee® Propex Tubing Cutter cuts up to 1" rubber and plastic tubing and PEX-a tubing. It features a replaceable V-shaped, double ground steel blade for clean perpendicular cuts and maximum tool life. The one handed locking mechanism is designed for an easy to use lock for improved tool safety.





Reaming Pen

- Provides easy deburring of copper tubing and PVC
- The tool is constructed with an all-metal design for durability through demanding jobsite use
- The blade is heat treated and black oxide coated for extended life
- A slide resistant clip allows easy storage in the users pocket or tool bag for quick access



48224255

\$15



Aviation Snips, Offset Set 2 Pc

Cheater Aluminium Pipe Wrench 260-610mm (24")

Extendable Sliding Handle providing variable-length control from

Dual Coil Spring Design for increased jaw durability and strength

- Forged serrated blades
- Flush pivot bolt
- One-handed metal lock
- · Ergonomic grips
- Lanyard hole
- Up to 22-gauge stainless & 18 gauge cold-rolled steel

48224523

\$54





Hex-Jaw Pliers 203mm (8")

- Hex-Jaw design Best fit for hex bolts
- All-Metal quick adjust mechanism 16 Positions for precise fit
- Deburr smooth pipe up to 1 1/50mm (2") and punch electrical knock outs
- Up to 1 1/50mm (2") hex bolt hardened teeth long gripping life
- Forged design for added strength



48226208

\$27

Also Available:

10" (48226210) \$3112" (48226212) \$40



Adjustable Wrench Set 2 Pc

- Proprietary adjustment screw jaws won't back off
- Parallel jaws won't slip or damage finished surfaces
- Adjustment screw gears designed for smooth adjustment
- Ergonomic handle form maximum comfort, won't ding into the palm
- Chrome plated for rust protection and durability
- Laser etched ruler for easy-to-read, accurate size adjustment

48227400

^{\$}62



48227318 \$4.04



Performance Gloves

 Smartswipe Fingertips, Knuckles and Palms

 Permits the use of touch screen devices without removing gloves

260mm (10") through to 610mm (24")

OVERBITE JAW $^{\text{TM}}$ for the largest gripping surface

• Comfortable Round Handle won't dig into palms

- High dexterity finger tips provide dexterity when handling small objects
- Built-in terry cloth sweat wipe
- Breathable lining provides all day comfort
- Hook & loop closure for a secure fit
- Available in sizes S XXL

48228721/2/3/4/5

^{\$}22





SHOCKWAVE™ Impact Driver Set 29 Pc

Most Durable, Best Fitting driver bits on the market. The Wear Guard Tip™ delivers increased wear resistance. Shockzone™ absorbs peak torque and prevents breaking 50X life vs. competitive impact driver bits.











M12™ REDLITHIUM™-ION HIGH OUTPUT™ 2.5Ah Battery

- M12™ REDLITHIUM™-ION HIGH OUTPUT™ 2.5Ah Compact Battery runs up to 25% cooler vs M12B2
- Increased thermal protection is optimised for high draw tools ensuring batteries don't overheat even in the toughest applications
- REDLINK™ intelligence provides optimised performance and overload protection
- Delivers 25% more power vs M12B2

M12HB2



Also Available:

 M12™ REDLITHIUM™-ION HIGH OUTPUT™ 5.0Ah Battery (M12HB5) **\$180**





holes for vertical mounting.



M12™ Soldering Iron (Tool Only)

- · Heats quickly, maintains optimised temperature
- Ready to use and safe to store tip indicator
- 3-stop pivoting head for unmatched access
- 18 seconds heat up time
- Green LED indicates operating temperature reached
- Red LED indicates tool is off and still hot
- Easily switch between chisel and pointed tips



\$734



M12™ 10mm Right Angle Drill/Driver, Tool Only

- The most durable battery pack on the market delivering more run-time, power and longer battery life
- Variable speed paddle switch trigger for comfortable working in any situation

M12™ Four Bay Charger

- On-Board Fuel Gauge displays remaining run-time
- Built-in LED light Illuminates work surface
- Electronic clutch with indicator light for complete control



C12RAD0



REDLITHIUM™ USB Rechargeable Flood Light 3.0Ah Kit

- Upgrade from 2.0Ah battery to 3.0Ah battery included in kit
- Two modes, up to 445 lumens of TRUEVIEW™ High Definition Output
- Up to 12 hours runtime when used with REDLITHIUM $^{\text{TM}}$ USB 3.0Ah Battery Pack
- IP54 (limited dust ingress and high-pressure water jets from any direction)
- Magnetic base and clip for convenient storage and hands-free use







M12™ Variable Speed Polisher/Sander 2.0Ah Kit

Optimised to provide the fastest and most precise detail work, the new tool performs the work of two tools in one by easily switching between polishing and sanding modes. As the most compact cordless polisher on

the market, the polisher/sander is the perfect complement to a full size polisher for a faster finish.



M12BPS202B

8437

M12™ LED Underhood Light

1,350 Lumens of TRUEVIEW™ high definition output with two brightness options

• Length: 1,200mm





M12 FUEL™ 3/8" Impact Ratchet - Long Reach

Provides industry leading torque output, slim head profile and an extended neck for the longest reach into tight, hard to reach spaces.

- Anvil Type: 3/8" Square
- Max Torque: 74Nm
- RPM: 0-200Length: 363mm
- · Weight: 1.2kg





\$374

M12UHL0

M12™ Rivet Tool Kit

- M12[™] Rivet Tool (Tool Only) $\mathsf{M}12^\mathsf{TM}$ Lithium-ion Battery Charger
- M12™ 4.0Ah REDLITHIUM™-ION Battery Pack
- M12™ 152mm (6") Rivet Extended Outer Jaw Housing
- M12™ Rivet Nose Pieces





\$360

M12 FUEL™ 3 Pc Power Pack 3Q

- M12 FUEL™ 3/8" Ratchet
- M12 FUEL™ 3/8" Stubby Impact Wrench
- M12™ Compact Inflator
- M12™ 4.0Ah REDLITHIUM™-ION Battery Pack
- M12™ 3.0Ah REDLITHIUM™-ION Compact Battery
- M12[™] Lithium-ion Battery Charger

M12FPP3Q432B



BONUS: M12 FUEL™ Wet/Dry Vacuum L Class (Tool Only)







M18™ REDLITHIUM™-ION Battery, 5.0Ah

- REDLINK™ intelligence provides optimised performance and over load protection
- Long lasting performance and durability
- Displays remaining run time for less down time on the job
- Delivers fade free power in extreme jobsite conditions



Milwauke

M18™ REDLITHIUM™-ION 12.0Ah Starter Pack

The M18 REDLITHIUM-ION HIGH OUTPUT™ 12.0Ah Battery Pack provides 50% more power and runs 50% cooler vs M18™ REDLITHIUM-ION battery packs. The massive increase in power elevates the performance of the entire M18 system and drives the next breakhrough in M18 FUEL, delivering the power of corded product. It deliver fode from power.

product. It delivers fade-free power and runs substantially cooler through heavy applications, allowing tradesmen to push their cordless tools harder and longer than ever before.

M18HOSP121B

\$552





\$270



M18 FUEL[™] 125 mm (5") Flathead Braking Angle Grinder with Deadman Paddle Switch, Tool Only

- Ability to reach into tight work spaces up to a 40° angle
- FIXTEC™ System allows 100% tool-free wheel change
- POWERSTATE™ Brushless Motor provides 8,500 RPM for unmatched power
- REDLINKTM PLUS Electronic Intelligence enables advanced communication between your batteries and tools, allowing for unmatched levels of performance, protection, and productivity



M18 FUEL™ 180mm Variable Speed Polisher, Tool Only

- Variable speed dial and trigger
- Lock-on function provides more comfortable use when polishing for longer periods
- Removable dust screen to prevent debris ingress prolonging motor life
- Rubber over mould gear case for increased comfort



M18FAGF125XPDB0

\$480





\$437



M18 FUEL™ HACKZALL™ Reciprocating Saw, Tool Only

- Compact and lightweight design allows for easier cutting in tight spaces or overhead applications
- One-handed design provides superior control and versatility over standard reciprocating saws
- 22mm stroke length removes more material with each stroke resulting in faster cuts





M18™ Metal Cutting Circular Saw, 203mm (8"), Tool Only

The M18 FUELTM 203 mm (8") Metal Cutting Circular Saw generates maximum power for fast cutting, and delivers up to 36 m (120') of cutting corrugated metal sheeting per charge from a M18 $^{\rm TM}$ REDLITHIUM $^{\rm TM}$ -ION HIGH OUTPUT 8.0Ah battery.



M18FHZ0

\$336



M18™ Transfer Pump - Tool Only

- Self-priming pump
- Splash-proof M18 battery compartment
- Viewing window helps identify blockages
- 908L Per charge using 5.0Ah REDLITHIUM-ION battery pack



ONLY **1**0 Milwaukee

M18FMCS660

sarn

M18 FUELTM 1/2" Mid-Torque Impact Wrench w/ Friction Ring Kit

- Friction ring ensures quick and easy socket changes
- POWERSTATE™ Brushless Motor delivers up to 881 Nm of nut-busting torque
- $\mbox{\sc 4-Mode}$ DRIVE CONTROL provides control over output speed and power

 Auto Shut-Off Mode prevents over tightening and increases productivity by applying no more than 48 Nm of torque




M18TP0

^{\$}480



M18 FUEL™ 4 Pc Power Pack 4Q2

This top selling kit has been updated with the latest compact 1/2"Dr impact wrench. The perfect starter kit for heavy transport mechanics.



- M18 FUEL™ 1/2" Compact Impact Wrench
- M18 FUEL™ 13mm Hammer Drill/Driver
- M18 FUEL™ 125 mm (5") Angle Grinder
- 2 x M18[™] 5.0Ah Batteries
- M12 & M18™ Rapid Charger







\$960

M18FMTIW2F12502C

M18 FUEL™ ONE-KEY™ 2 Pc Power Pack 2B2

- M18 FUEL™ ONE-KEY™ 13mm Hammer Drill/Driver (Tool Only)
- M18 FUEL™ 1/2" Impact Wrench with Friction Ring with ONE-KEY™ (Tool only)
- M18™ 5.0AH REDLITHIUM-ION™ Battery
- M12™ 2.0Ah REDLITHIUM-ION™ Compact Battery Pack
- M18TM & M12TM Rapid Charger











0800 800 488 sales@sulco.co.nz sulco.co.nz

AUTOSTAR Tool Cart - 2 Drawers

- Overall Size: 705 x 370 x 710mm
- Overall with Casters: 705 x 370 x 830mm
- 2 Drawers: 587 x 325 x 80mm
- N.W. 28.7 Kg
- G.W. 30.5 Kg



Work Bench w/ 3 Drawers & Peg Board, 1145 x 635 x 1585mm

- · Powder coated steel finish
- H/D MDF Bench Top for heavy loading
- Rear Pegboard for tool hanging
- Top Storage Box with hinged Lid
- Lower Storage Tray



TC310G

\$428

350kg Scissor Lift

- Capacity: 350kg
- Maximum Height: 1300mm
- Minimum Height: 350mm
- Table Dimension: 905x512x50mm
- Weight: 108kg
- Construction: Overall Steel Construction
- Wheels: Hard Rubber with Ball Bearings



TSA4524C

\$642

500kg Scissor Lift

- Table Size: 820x520mm
- Capacity: 500Kg

HM4004

- Max table height: 780mm
- Min table height: 260mm
- Shipping Weight: 74Kg



LT35B



Plastic Creeper - Low Profile

High-impact moulded-plastic creeper lets you work under your vehicle with ease.

- Features: Low profile design
- Capacity: 135kg
- Built-in magnetic tool trays



Under-Hoist Pole Jack Stand 750kg

The Under-Hoist Pole Jack Stand has a foot pedal pump to move loads like transmissions, into position quickly. Wide top saddle and wide bottom base for load stability. It can also be used to keep over head beams steady and secure while working.

- Popular with engine shops and individuals using hoists at home
- Foot pedal actuated lifting mechanism
- Lift range: 1,372 to 2,032mm (54" to 80")

40753A

^{\$}211

TRH68023 8133

Jandijack 3 Ton Big Wheel Off-Road Jack

- Capacity: 3T
- Min height: W/O Height Extension: 155mm
- W/T Height Extension: 1st step: 285mm 2nd step: 315mm
- Max height: W/O Height Extension: 550mm
- W/T Height Extension: 1st step: 685mm 2nd step: 715mm





· Low profile design suitable for lowered vehicles

- Trolley Jack 3T Low Profile
- · High lift
- Lifting range: 4"-21" (98 to 535mm)
- HD Plastic Castors (2 swivel)
- Collapsible handle
- Twin pumps
- 4" (100mm) saddle diameter



T83508

8453



Creeper Seat with Storage

- 4 heavy-duty 2.5 in. swivel caters with 360 rotating casters
- Garage chair is ideal for shop or garage
- Built-in tool tray for organization
- Full padded adjustable seat for comfort
- Adjustable height range measures 4-3/4 in.
- Made with full steel construction for durability
- 100kg Capacity







AUTO STAR Folding Engine Crane - 2 Ton

For raising lowering and transporting of automotive engines and other heavy shop loads



WS01101





G Clamp 75mm (3") Unbreakable SG Iron

- Professional clamps that are GUARANTEED UNBREAKABLE made from SG iron
- Smooth slip-free operation deep threads give smooth, slip free operation
- Black hammerhead finish

Also Available:

- 105mm (4") (GC204) **\$25.00**
- 150mm (6") (GC206) **\$35.00**
- 200mm (8") (GC208) **\$43.00**
- 245mm (10") (GC210) \$49.00
- 305mm (12") (GC212) \$60.00



Drill Press Vice, SG Iron, 100mm

- Rugged, versatile and durable.
- · Suitable for light duty jobs.





GC203

\$19

Multi Purpose Vice 125mm (5") Unbreakable SG Iron

- Rotating head for clamping material at any angle
- Indexed at 90 degrees left and right for quick setup
- Large built in Anvil for flat shaping
- Positive locking Swivel Base rotates 360 degrees
- Permanent Pipe Jaws & Replaceable Serrated Jaw Face



Offset Vice 150mm Steel Fabricated

- Replaceable serrated, hardened and tempered jaws.
- · Oiling point for lubrication.
- Rugged, versatile and durable.



TBPIV0009





VF6 \$343



Engineers Vice 100mm (4") All Purpose S.G. Iron



TBPIV0020

- Also Available:
- 150mm (6") All Purpose S.G. Iron (TBPIV0022) \$164
- 200mm (8") All Purpose S.G. Iron (TBPIV0023) **\$246**

125mm (5") All Purpose S.G. Iron (TBPIV0021) **\$128**

PHAROS (G)

Swivel Base 4" for #TBPIV0020



Also Available:

TBPISB0055

- 815
- Swivel Base 5" for #TBPIV0021(TBPISB0056) \$18 Swivel Base 6" for #TBPIV0022 (TBPISB0057) **\$21**
- Swivel Base 8" for #TBPIV0023 (TBPISB0058) \$24

Ball Pein Hammer Fibreglass Handle 226gm

Also Available:

- 450gm (7053) \$37
- 905gm (7056) \$44
- 1135gm (7061) **\$58**



Short Handle Sledge Hammer (4 lbs)

- Fully Polished faces and are fitted with genuine American hickory handles.
- Weight: 1.82kg. (4lbs.)
- Length: 16" (400mm)



7051





Air Boy Soda Blaster 2 with Precision Nozzle and 1KG Soda

Fast, gentle method to remove paint, varnish, and surface rust from hard to reach places.

- · It does not stretch sheet metal, or damage glass, rubber or plastic.
- Soda is easily washed away with no residue



J152

8195

Also Available:

• 5L Soda for Soda Blaster (J1035S) \$46

Air Sand Blaster, Siphon Feed Blast **Gun w/ Ceramic Nozzle**

Ideal tool for commercial use in sandblasting or abrasive blasting to remove the top surface layer of a material by using compressed air to direct abrasives towards the surface.

Applications can be abrasive blasting erodes the surface, ridding it of paint, dirt and other substances and prepares for further surface treatments.

STSB113A

\$133



Air Boy 8mm Bent Pipe Blow Gun 500mmL

- Ideal for blow-off, cleaning and drying tasks
- For all cleaning purposes
- Flow: 380I/min
- Blowing Force: 3.92N
- 25 Year Guarantee



Air Boy Inflating Gun with QT Connector

Durable tyre inflator for fast leak free connection and inflation.

- Working pressure: 174ps1 (12bar)
- Gauge: 0 174psi
- Tolerance +/- 2.78psi
- Complies with European Standard DS/EN 837



J113B

Air Boy Jet Flusher, Cooling system Flusher

Flusher Engine coolant degrades over time and most likely contaminates with abrasive particles and foreign materials. Prevent this from happening by flushing the cooling system occasionally and when replacing cooling system parts. The JWL Jet Flusher works without use of solvents or harsh chemicals.



J151120 \$133

SUMAKE 1/4" 0.5HP Air Die Grinder w/4" Extended Spindle

- Durable 0.5HP air motor with precision machined cylinder & rotors
- 360 degree swivel air exhaust design avoids tangled air line and operator fatigue
- Second injected ergonomics designed grip absorbs vibration and reduces hand fatigue
- · Safety-lock trigger design



\$143

J185

SUMPRIE 10mm Air Body Saw and File

Cutting Capacity: Aluminium: 3mm Stroke Length: 10mm (0.394")

- Stroke (b.p.m): 10,000
- Nosie level (dB): 74
- Air Consumption: 9 cfm (240 I/min)





SUMAKE Air Hammer Kit 190mm w/ 5 Pc Round Shank Chisel

Low vibration

STDG1002L4DA

\$179

- Low noise
- Durable Valve set
- Adjustable air inlet



STM3009KR

\$14N

SUMAKE Air Ratchet Wrench 1/4" Dr 34Nm

Compact stubby ratchet · Great in close quarters



SUMPRIE Hvlp Gravity Air Spray Gun

- Feed type: Gravity
- Standard nozzle: 0.8mm
- Capacity of cup: 0.25L
- Air inlet: 1/4" NPS
- Air hose: 1/4" NPS
- Average air consumption: 2.5cfm (70.8 l/min)
- Net weight: 0.88lbs (0.4kg)
- Recommended air pressure: 43psi (3.0kg/cm2)





ST5565







Wera VDE Screwdriver Set + 1 Single Phase Voltage Tester

- Suitable for electrical repair work
- VDE insulated for safe operation up to 1000 V
- Solid handle for fast working speed
- Soft grip for high torque transfer





05022669001

\$95

Wera Hex-Plus Multicolour Stainless L-Key Set 9 Pc Metric

Stainless Hex keys prevent rust bleed. Perfect for marine applications. Hex-Plus offers greater contact surface on the screw head to virtually eliminate screw head wear. The ball-end on the long arm allows for offset working in hard to reach situations. Thermoplastic sleeve is easy-togrip even at low temperatures. "Take it easy" Tool Finder with colour coding for fast identification.

• 9 Pc: Hex-Plus 1.5, 2, 3, 4, 5, 6, 8, 10, 12mm



05323790001

859





- Kraftform Kompakt with ratchet function for high working speeds
- Kraftform with anti-roll feature, multi-component, integrated magazine
- Fine-pitched teeth for small return angle; switchover ring (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Hexagon blade with 1/4" hex socket take-up, stainless sleeve, strong permanent magnet





- With 1/2" square drive, reversible ratchet, 45 teeth
- Easy setting and saving of the desired torque value with audible and tactile clicks when reaching the scale values
- Audible and tactile release mechanism when the set torque value is reached
- Measuring range: 60-300 Nm; Precise to ± 3% as per DIN EN ISO 6789-1:2017-07
- With ergonomic 2-component handle suitable for right-hand use


05075623001 Also Available: Click-Torque C 5 torque wrench with reversible ratchet,

80-400 Nm (05075624001) \$886

05073661002



Wera



The KOLOSS is a reversible, heavy-duty ratchet that can be used with a load of at least 600 Newton metres. The dual ratchet teeth and the minimum return angle of only 6° ensure rapid and precise screwdriving even in confined situations. And the best thing: absolutely no impact on the hammer faces, however hard, can destroy the ratchet mechanism







Wera 8100 SB 2 Zyklop Speed Ratchet Set 3/8" Drive Metric - 43 Pc

- Combines five different types of a ratchet in one
- · Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head
- 6-24mm 3/8"Dr Sockets



SRR4



Wera 8790 C Impaktor Deep Set 1, 11 Pc

- Long ½" sockets for low-profile-fitting screw connections in tight construction spaces
- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" Dr
- Impaktor technology for above-average
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission









- 2090 impact driver, 90 Nm
- To loosen and tighten screws without the use of power tools
- Impact forces are converted into rotary motion
- The double-curved design is particularly efficient
- 5/16" hexagon socket take-up



05072014001

\$317



8004 A Zyklop Metal Ratchet with Switch Wera Lever and 1/4" Drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking
- For 1/4" square sockets with ball lock



05004004001



Also Available:

- 8004 C Zyklop Metal Ratchet 3/8" Dr (05004034001) \$110
- 8004 C Zyklop Metal Ratchet 1/2" Dr (05004064001) \$125





KNIPEX Pliers Nipper End 200mm Cut

- Head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work
- With cutting edges for soft and hard wire
- Also suitable for twisting and cutting binding wire
- Cutting edge hardness approximately 61 HRC







Mini Bolt Cutter 200mm Hi/Lever Rec/Rock with Rough Handle

Heaviest duty cutting of bolts, nails and rivets with the least effort. Great for repetitive work to avoid strain/damage to hands. Ideal companion for cutting #8 fencing wire Capacity:

Medium wire: 5.2mm Hardened wire: 3.6mm

7131200R

\$117





KNIPEX Pliers Cobra 180mm

- World's best water pump pliers that have proven performance and reliability
- Easy push button adjustment on the workpiece
- Self-locking on pipes and nuts with no slipping and low hand-force required

Also Available:

- 250mm Plas (8701250) **\$80**
- 300mm Plas (8701300) \$110
- 400mm Plas (8701400) \$196
- 560mm Plas (8701560) \$310

8701180



NIPEX Siphon And Connector Pliers

- Fine adjustment for ideal adjustment to diverse diameters up to 75 mm
- For connectors, oil filters, plastic pipes and siphons
- Ideal for tightening and loosening siphon screw connections, plastic pipe fittings and round union nuts





MIPEX Automatic Insulation Stripper 0.2-6mm2

- For single, multiple and fine stranded cables of 0.2 up to 6 mm² with standard insulation
- Narrow head style for use in confined areas
- With wire cutter for copper and aluminium wires up to 2.5 mm²



8113250



- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft and hard wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 60 HRC



0301180

Also Available:

• Combination Pliers 200mm (0301200) \$53



NIPEX Pliers Set 4 Pc - Agriculture

- 0201200 Combination Pliers 200mm (8")
- 8201200 Twin Grip Pliers 200mm (8")
- 7131200R CoBolt Mini Bolt Cutters - with Recess 200mm (8")
- 8701250 Cobra water pump pliers 250mm





1262180

NIPEX PreciStrip Automatic Insulation Stripper 0.08-16mm2

- Simple, precise stripping of fine wires and solid round cables with a wide capacity range from 0.08 to 16 mm² with only one pair of pliers
- Good grip provided by semi-circular grooved metal holding clamps; exact cut thanks to parabolic stripping blade





KNIPEX Pliers Set 4 Pc - Construction

- 0201200 Combination Pliers 200mm (8")
- 8201200 Twin Grip Pliers 200mm (8")
- 6801200 End Nippers 200mm (8")
- 8701250 Cobra water pump pliers 250mm









Differe 3.0HP Dual Mode Compressor with 70L Tank

- Tank Capacity: 70 Litres
- Air Displacement: 430 I/min (15cfm)
- Pressure: 6 to 8 Bar (87 116psi)
- Power: 240v / 15A
- Free Speed: 2,800rpm
- Dimensions (mm): 1,150L x 450W x 780H







Air Compressor - Petrol Driven 6.5hp

Ideal go anywhere petrol driven compressor that can be easily moved around or mounted to the flat deck of a service vehicle by removing the wheels. The powerful 196cc Kohler engine and 3 cylinder cast iron pump delivers 19.4cfm of air to power most air tools.

- Tank Capacity: 70 Litres
- Air Displacement: 550 I/min (19.4cfm)
- Pressure: 6 to 8 Bar (87 116psi)
- Power: 6.5hp, 196cc engine with recoil start
- Free Speed: 3,300rpm
- Dimensions (mm): 1,150L x 450W x 780H



AFP6570 \$2007



3.0HP Direct Oil Free Compressor with 90L Vertical Tank

Thanks to clever engineering and design, this vertical compressor can plug into any standard power point (10A), takes up a small footprint, requires very little maintenance, runs super quiet and delivers maximum air.

- · Oil free
- Low noise level
- 1,100W*2
- Vertical tank for space saving
- Works on 230V
- · Direct driven motor
- · 4-cylinder pump



AF390SILENT

dir force 3-in-1 Compressor, Generator, Welder

With easy start petrol engine that has the ability to run air and electric tools off the back of a Ute or service vehicle, making it ideal for mobile servicing or farming. The 175A arc welder means most repairs can be done in location and with relative speed.

- ARC welding: 175 Amp (3.2mm)
 - 100% duty cycle
- KOHLER 14HP petrol engine
- Electric start with APOLLO battery
- Air displacement: 540 I/min (19CFM)
- Working pressure: 10-12 Bar (145 - 159psi)
- Generator output: 5kW
- Tank: AS1210 160L



AFTCGW50P \$6216





2 Post Hoist, 4.5T, Asymmetrical, 230V 1 phase

A robust incredibly reliable 2 post 4.5T hoist. Suitable for industrial, commercial and domestic workshops with its high duty rating, it is one of New Zealands best selling hoists on the market today. Supplied with anchor bolts and hydraulic oil but without electrical plug (recommend working with your local electrician to determine whether to fit a plug or hard wire.)

- Four height adjustable Pick-Up pads included standard
- Clear floor
- Assymetrical arms
- Incorporated isolation switch



SM245UNIVERSAL

\$8945

Also Available:

2 Post Molnar Hoist, 4.5T, Asymmetrical, Low Arm, 415V 3Phase (SM245UNIVERSAL415) \$8670

Sterti KONI

ST4120 4 Post Lift 12/18 Tonne 8m Platform Lift with Ebright

- The ST4120 Four Post Lift is especially suitable to accommodate vans, trucks and forklift trucks. An optional third platform is available for lifting 3-wheel forklifts. The adjustable ramp platforms are available from 4.5m up to 8m in length. The ST 4120 is easy to operate with ebright Smart Control System
- Optimum accessibility
- Platform lengths available from 4.5 up to 8 metres
- Space saving design
- Adjustable platform width
- Independent mechanical lock
- Low drive-on height
- Easy Installation: With fewer moving parts the lift is easier and quicker to install, therefore reducing costs





4 Post Alignment Hoist, 5.0T, 4.6M Platform*

An electro hydraulic 4 post hoist with 5000kg capacity, designed to Australian specifications. Suitable for wheel alignment with integrated slip plates and large provision for turntables. Platforms are perfect for Wheel Alignment and come with long run-up ramps to allow easy access for a wide range of vehicles.

- Lifting capacity 5000kg; ideal for cars to light commercial vehicles
- Power pack position optimised for the operator and workshop space
- Large diameter pulleys
- Wheel alignment set includes slip plate and large provision for turntables
- Optional Air-hydraulics, 3 tonne Jacking Beams
- Long run-up ramps for easy vehicle approach
- Electro-hydraulic operation with cable system
- Automatic lock release
- Incorporated Isolation Switch
- Optional Single Phase Motor available
- 3 Year Warranty



SM450A



Also Available:

4 Post Alignment Hoist, 6.0T 3 Phase (SM460A) \$21,454

Sterti KONI

ST4120 4 Post Lift 12/18 Tonne 10m Platform Lift with Ebright

The ST4120 Four Post Lift is especially suitable to accommodate vans, trucks and forklift trucks. An optional third platform is available for lifting 3-wheel forklifts. The adjustable ramp platforms are available from 4.5m up to 10m in length. The ST 4120 is easy to operate with ebright Smart Control System.

- Optimum accessibility
- Platform lengths available from 4.5 up to 10 metres
- Space saving design
- Adjustable platform width
- Independent mechanical lock
- Low drive-on height
- Easy Installation: With fewer moving parts the lift is easier and quicker to install, therefore reducing costs

It is possible to install the lift either surface-mounted or recessed



41004000 \$59,509

PRICE EXCLUDES DELIVERY AND INSTALLATION



Workshop Equipment & Diagnostics

AUTEL MaxiSys Scan Tool MS906 BT

- Powerful Samsung Exynos Hexa-core processor
- 8.0" 1024x768 LED-backlit glossy multi-touch capacitive display
- Internal 64GB SSD for better performance
- Built-in 8-megapixel rear camera with auto-focus and flashlight
- 802.11b/g/n Wi-Fi to access your favourite web resources
- Rubberised outer protection and a rugged internal housing
- Built-in rechargeable lithium-polymer battery for up to 14 hours
- USB, audio and auxiliary ports



MS906BT





Headlight Beam Setter Mechanical with Digital Luxmeter

- 1,660mm column in blue
- Three wheel stable base with adjustable inclination setting
- Top mirror visor adjustment to ensure centre line of front bumper.
- Stability level with sliding mechanism
- With self lubricated nylon skates for easy operation of height adjustment





020999167 \$**995**



-FCOR

FCar F7S-G Mixed Fleet 12/24V Scantool

An all-in-one diagnostic and service maintenance solution ideal for truck and construction vehicles that also supports many popular brands of passenger vehicles. The platform is based on an Android Operating System and has built in Wi-Fi and Bluetooth so it can be used wherever you are around the vehicle.

- Ruggedized Tablet with 10.1 Display
- All in one Diagnostic solution for Auto and Truck Professionals
- 32GB Internal SSD Storage
- Full Adaptor Packing including Pre-OBDII support for HD & Passenger Vehicles
- Single Licence renewal across all Diagnostic Software



FCARF7SG





Headlight Beam Setter - Digital



- Available Reading: halogen, xenon, LED, low beam, high beam, fog beam
- Beam pattern: European left/right hand driving, USA, Japan
- Communication Protocol: Net1, Net2, Giegnet, GiegLan, OTC Lan
- Software Update: USB Key, LAN configuration through RS232
- Connectivity: RS232, Wifi, Bluetooth



020999167 \$6145









To go on the e-mail list to receive our monthly flyer, please contact: marketing@sulco.co.nz

Mobile show rooms that come to you 0800 800 488 | www.sulco.co.nz

PLEASE NOTE: All goods sold subject to Sulco terms. No refunds on sale items.