

**T&E
TOOLS**[®]
www.tetools.com

Stainless Steel Tools Range

High corrosion resistance & non-magnetic applications.
Suitable for work environments where contamination caused by rust,
corrosion & magnetic fields. Used in food, pharmaceutical,
chemicals, production factories, equipment maintenance
and areas with magnetic fields.



Screwdrivers

Screwdriver feature super powerful molded grips. Made of 304 stainless steel. Excellent resistance to corrosion and rust. Ideal for medical industry, food sector, automotive and aerospace, etc.



Stainless Steel Slotted Screwdriver

Item No.	Size	Length	Material	Weight (kg)
SS73075	3 x 75mm	159mm	304SS	0.035
SS75100	5 x 100mm	205mm	304SS	0.075
SS76150	6 x 150mm	265mm	304SS	0.110
SS78200	8 x 200mm	327mm	304SS	0.165
SS79300	10 x 300mm	427mm	304SS	0.245
SS79400	12 x 400mm	550mm	304SS	0.450



Stainless Steel Phillips Screwdriver

Item No.	Size	Length	Material	Weight (kg)
SS80050	#0 x 50mm	134mm	304SS	0.035
SS81100	#1 x 100mm	205mm	304SS	0.075
SS82150	#2 x 150mm	265mm	304SS	0.110
SS83250	#3 x 250mm	377mm	304SS	0.185
SS84300	#4 x 300mm	427mm	304SS	0.245

Pliers

Stainless steel plier range comprise of pliers for holding and gripping small articles or for bending and cutting wire and most feature anti-slip handles.



Stainless Steel Combination Pliers

Item No.	Size	Length	Material	Weight (kg)
SSPT1106	6"	150mm	304SS	0.180
SSPT1107	7"	175mm	304SS	0.355
SSPT1108	8"	200mm	304SS	0.465
SSPT1110	10"	250mm	304SS	0.550

Stainless Steel Long Nose Pliers

Item No.	Size	Length	Material	Weight (kg)
SSPT1128	6"	150mm	304SS	0.190
SSPT1130	8"	200mm	304SS	0.335

Stainless Steel Slip Joint Combination Pliers

Item No.	Size	Length	Material	Weight (kg)
SSPT1006	6"	150mm	304SS	0.215
SSPT1008	8"	200mm	304SS	0.380

Stainless Steel Diagonal Cutting Pliers

Item No.	Size	Length	Material	Weight (kg)
SSPT1056	6"	150mm	304SS	0.245
SSPT1058	8"	200mm	304SS	0.410

Stainless Steel Rib-Lock Multigrip Pliers

Item No.	Size	Length	Material	Weight (kg)
SSPT1263	10"	250mm	304SS	0.365

Stainless Steel Crimping Tool Pliers

Item No.	Size	Length	Material	Weight (kg)
SS135	200mm	200mm	304SS	0.225

Stainless Steel Locking Pliers

Item No.	Size	Length	Material	Weight (kg)
SS910	225mm	225mm	304SS	0.480

Hammers

Designed for heavy duty workload. Made with 304 stainless steel heads with strong fiberglass handles. Ideal for use anywhere non-magnetic, anti-corrosive stainless steel tools are required including food and healthcare industries.



Stainless Steel Ball Pein Hammer

Item No.	Size	Length	Material	Weight (kg)
SS7051	230g	280mm	304SS	0.340
SS7052	340g	280mm	304SS	0.450
SS7053	450g	310mm	304SS	0.680
SS7055	680g	340mm	304SS	0.910
SS7056	910g	350mm	304SS	1.130
SS7061	1130g	400mm	304SS	1.400

Stainless Steel Double Face Sledge Hammer


Item No.	Size	Length	Material	Weight (kg)
SS7063	1000g	400mm	304SS	1.000
SS7064	2000g	400mm	304SS	2.000
SS7068	2700g	700mm	304SS	2.700

Stainless Steel Claw Hammer

Item No.	Size	Length	Material	Weight (kg)
SS7058	680g	330mm	304SS	0.953

Tweezers

Made of 304 stainless steel. Excellent resistance to corrosion and rust.



Stainless Steel Flat Nose Tweezers


Item No.	Size	Length	Material	Weight (kg)
SSTW3082	150mm	150mm	304SS	0.030
SSTW3084	200mm	200mm	304SS	0.050

Stainless Steel Tweezers

Item No.	Size	Length	Material	Weight (kg)
SSTW8316	140mm	140mm	304SS	0.022
SSTW8318	160mm	160mm	304SS	0.025

Universal Joint

Die forged and designed to help in areas that are hard to access. Made with 304 stainless steel. Ideal anywhere non-magnetic, anti-corrosive stainless steel tools are required including food, healthcare industries.



Item No.	Size	Length	Material	Weight (kg)
SS24700	1/2" x 80mm	80mm	304SS	0.186
SS25700	3/4" x 110mm	110mm	304SS	0.530

Extensions

Our range of extension can be used with our range of sockets for areas that aren't too accessible. Made with 304 stainless steel. Ideal anywhere non-magnetic, anti-corrosive stainless steel tools are required including food, healthcare industries.

Item No.	Size	Length	Material	Weight (kg)
SS23106	3/8" Sq. Drive	75mm	304SS	0.040
SS24110	1/2" Sq. Drive	125mm	304SS	0.255
SS24120	1/2" Sq. Drive	250mm	304SS	0.500
SS25508	3/4" Sq. Drive	200mm	304SS	0.910



Hex Key

Our range of hex keys are die forged for strength and made with 304 stainless steel. Ideal anywhere non-magnetic, anti-corrosive stainless steel tools are required including food, healthcare industries.

Item No.	Size	Length	Material	Weight (kg)
SS6303	1.5mm	59mm	304SS	0.008
SS6304	2mm	59mm	304SS	0.008
SS6305	2.5mm	59mm	304SS	0.008
SS6306	3mm	59mm	304SS	0.008
SS6308	4mm	65mm	304SS	0.010
SS6310	5mm	79mm	304SS	0.016
SS6312	6mm	85mm	304SS	0.025
SS6315	7mm	88mm	304SS	0.034
SS6316	8mm	92mm	304SS	0.050
SS6318	9mm	97mm	304SS	0.061
SS6320	10mm	110mm	304SS	0.082
SS6322	11mm	119mm	304SS	0.100
SS6324	12mm	130mm	304SS	0.145
SS6326	13mm	140mm	304SS	0.180
SS6328	14mm	150mm	304SS	0.211



No.SS6328

Ratchets

All our ratchets are high quality, drop forged and made with 304 stainless steel. The 3/8"Dr. & 1/2"Dr. are both 40 tooth round head ratchets where the 3/4"Dr. comes with a 45 tooth head.

Item No.	Size	Length	Material	Weight (kg)
SS23500	3/8" x 200mm	200mm	304SS	0.290
SS24500	1/2" x 245mm	245mm	304SS	0.690
SS25500	3/4" x 320mm	320mm	304SS	1.570



No.SS25500

L-Handle

Drop forged with knurled handle for grip, the L-shaped bar is great for loosening tough nuts and bolts. Made with 304 stainless steel it is ideal anywhere non-magnetic, anti-corrosive stainless steel tools are required including food, healthcare industries.

Item No.	Size	Length	Material	Weight (kg)
SS24618	1/2" x 230mm	230mm	304SS	0.400
SS25618	3/4" x 280mm	280mm	304SS	0.750



No.SS24618

Pry Bars

Used in moving, lifting, rolling as well as prying objects open. Both the Jimmy and the Wrecking bars are made with 304 stainless steel.

Stainless Steel Jimmy Bar

Item No.	Size	Length	Material	Weight (kg)
SS8724	25 x 600mm	600mm	304SS	2.350



No.SS8724

Stainless Steel Double Ended Wrecking Bar

Item No.	Size	Length	Material	Weight (kg)
SS8717	450mm	450mm	304SS	0.970



No.SS8717

Sockets

High quality, forged sockets made with 304 stainless steel. Ideal anywhere non-magnetic, anti-corrosive stainless steel tools are required including food, healthcare industries, etc.

3/8" Drive 12 Point Socket

Item No.	Size	Length	Material	Weight (kg)
SS53308	8mm	28mm	304SS	0.035
SS53309	9mm	28mm	304SS	0.035
SS53310	10mm	32mm	304SS	0.050
SS53311	11mm	32mm	304SS	0.050
SS53312	12mm	32mm	304SS	0.050
SS53313	13mm	32mm	304SS	0.050
SS53314	14mm	32mm	304SS	0.050
SS53315	15mm	32mm	304SS	0.053
SS53316	16mm	32mm	304SS	0.058
SS53317	17mm	32mm	304SS	0.063
SS53318	18mm	32mm	304SS	0.068
SS53319	19mm	32mm	304SS	0.068
SS53320	20mm	32mm	304SS	0.077
SS53321	21mm	32mm	304SS	0.077

24Pc. 1/2"Dr. Stainless Steel Master Metric Socket Set

Item No.	Pieces	Drive	Point	Material	Weight (kg)
SS94324	24	1/2"	12	304SS	9.000



Content:

- A. 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 27mm, 30mm, 32mm Sockets.
- B. 1/2"Sq.Drive 125mm Extension
- C. 1/2"Sq.Drive 245mm Extension
- D. 1/2"Sq.Drive Sliding T-Handle
- E. 1/2"Sq.Drive Universal Joint
- F. 1/2"Sq.Drive Speed Brace
- G. 1/2"Sq.Drive Ratchet

1/2" Drive 12 Point Socket

Item No.	Size	Length	Material	Weight (kg)
SS54310	10mm	40mm	304SS	0.078
SS54311	11mm	40mm	304SS	0.079
SS54312	12mm	40mm	304SS	0.079
SS54313	13mm	40mm	304SS	0.079
SS54314	14mm	40mm	304SS	0.080
SS54315	15mm	40mm	304SS	0.094
SS54316	16mm	40mm	304SS	0.094
SS54317	17mm	40mm	304SS	0.094
SS54318	18mm	42mm	304SS	0.094
SS54319	19mm	42mm	304SS	0.110
SS54320	20mm	42mm	304SS	0.120
SS54321	21mm	43mm	304SS	0.125
SS54322	22mm	43mm	304SS	0.130
SS54323	23mm	43mm	304SS	0.150
SS54324	24mm	43mm	304SS	0.165
SS54325	25mm	43mm	304SS	0.180
SS54326	26mm	43mm	304SS	0.200
SS54327	27mm	46mm	304SS	0.215
SS54328	28mm	46mm	304SS	0.225
SS54329	29mm	46mm	304SS	0.235
SS54330	30mm	46mm	304SS	0.250
SS54332	32mm	46mm	304SS	0.295

3/4" Drive 12 Point Socket

Item No.	Size	Length	Material	Weight (kg)
SS55317	17mm	50mm	304SS	0.025
SS55319	19mm	50mm	304SS	0.025
SS55322	22mm	55mm	304SS	0.265
SS55324	24mm	55mm	304SS	0.305
SS55325	25mm	55mm	304SS	0.305
SS55326	26mm	55mm	304SS	0.305
SS55327	27mm	55mm	304SS	0.310
SS55330	30mm	60mm	304SS	0.350
SS55332	32mm	60mm	304SS	0.465
SS55334	34mm	60mm	304SS	0.480
SS55335	35mm	60mm	304SS	0.500
SS55336	36mm	60mm	304SS	0.510
SS55338	38mm	60mm	304SS	0.550
SS55341	41mm	65mm	304SS	0.660
SS55346	46mm	65mm	304SS	0.760
SS55350	50mm	70mm	304SS	0.900



No. SS54310



No. SS54332



No. SS55325



No. SS55330

Wrenches

Our range of high quality wrenches from your standard Combination through to our pipe, chain and "C" wrenches are all made with 304 stainless steel. Ideal anywhere non-magnetic, anti-corrosive stainless steel tools are required including food, healthcare industries, etc.



No. SS60606



No. SS60810



No. SSAW1318



No. SS5460



No. SS10224



No. SS7401

Stainless Steel Super-Satin Adjustable Wrench

Item No.	Size	Length	Material	Weight (kg)
SS10206	18 x 150mm	150mm	304SS	0.145
SS10208	24 x 200mm	200mm	304SS	0.265
SS10210	30 x 250mm	250mm	304SS	0.410
SS10212	36 x 300mm	300mm	304SS	0.650
SS10215	46 x 375mm	375mm	304SS	1.410
SS10218	55 x 450mm	450mm	304SS	2.070
SS10224	65 x 600mm	600mm	304SS	4.705

Stainless Steel Universal Chain Wrench

Item No.	Size	Length	Material	Weight (kg)
SS7400	200 x 600mm	600mm	304SS	2.500
SS7401	300 x 900mm	900mm	304SS	4.500

Stainless Steel Combination Wrench

Item No.	Size	Length	Material	Weight (kg)
SS60606	6mm	105mm	304SS	0.018
SS60707	7mm	120mm	304SS	0.040
SS60808	8mm	120mm	304SS	0.040
SS60909	9mm	135mm	304SS	0.045
SS61010	10mm	135mm	304SS	0.045
SS61111	11mm	150mm	304SS	0.065
SS61212	12mm	150mm	304SS	0.065
SS61313	13mm	175mm	304SS	0.090
SS61414	14mm	175mm	304SS	0.090
SS61515	15mm	195mm	304SS	0.140
SS61616	16mm	195mm	304SS	0.140
SS61717	17mm	195mm	304SS	0.140
SS61818	18mm	215mm	304SS	0.180
SS61919	19mm	215mm	304SS	0.180
SS62020	20mm	215mm	304SS	0.180
SS62121	21mm	245mm	304SS	0.280
SS62222	22mm	245mm	304SS	0.280
SS62323	23mm	265mm	304SS	0.320
SS62424	24mm	265mm	304SS	0.320
SS62727	27mm	290mm	304SS	0.430
SS63030	30mm	320mm	304SS	0.530
SS63232	32mm	340mm	304SS	0.780

Stainless Steel Double Ended Long Ring Wrench

Item No.	Size	Length	Material	Weight (kg)
SS60810	8 x 10mm	190mm	304SS	0.055
SS60911	9 x 11mm	200mm	304SS	0.085
SS61012	10 x 12mm	200mm	304SS	0.085
SS61213	12 x 13mm	220mm	304SS	0.151
SS61416	14 x 16mm	255mm	304SS	0.205
SS61517	15 x 17mm	255mm	304SS	0.205
SS61719	17 x 19mm	280mm	304SS	0.225
SS62224	22 x 24mm	330mm	304SS	0.455
SS62427	24 x 27mm	340mm	304SS	0.520
SS62730	27 x 30mm	350mm	304SS	0.705
SS63032	30 x 32mm	370mm	304SS	0.805

Stainless Steel Pipe Wrench

Item No.	Size	Length	Material	Weight (kg)
SSAW1308	25 x 200mm	200mm	304SS	0.420
SSAW1310	30 x 250mm	250mm	304SS	0.735
SSAW1312	40 x 300mm	300mm	304SS	1.050
SSAW1314	50 x 350mm	350mm	304SS	1.315
SSAW1318	60 x 450mm	450mm	304SS	1.500
SSAW1324	75 x 600mm	600mm	304SS	2.300
SSAW1336	85 x 900mm	900mm	304SS	3.700
SSAW1348	110 x 1200mm	1200mm	304SS	8.000

Stainless Steel Adjustable "C" Wrench

Item No.	Size	Length	Material	Weight (kg)
SS5460	20-35mm	165mm	304SS	0.115
SS5461	35-60mm	190mm	304SS	0.150
SS5462	60-90mm	280mm	304SS	0.350
SS5463	90-155mm	330mm	304SS	1.150

T&E Tools Pty Ltd

A.B.N. 15 125 938 276

55 Nelson Road, Yennora NSW Australia 2161

Phone: (02) 8868-3300 Fax: (02) 9631-5140



Stainless steel Non-magnetic tools (MSDS)

ITEM	304QF
COMPOSITION	C: ≤0.08% Si: ≤0.85% Mn: ≤1.8% Cr: 18-20% Ni: 8.0-10.5% S: ≤0.03% P: ≤0.045% N: ≤0.2%
HARDNESS	HRC15-25
EXTENSIBILITY	$\delta 5(\%) \geq 40$
TENSILE STRENGTH	$\sigma_b(\text{MPa}) \geq 520$
MELTING POINT	1398~1454
YIELD STRENGTH	$\sigma_{0.2}(\text{MPa}) \geq 205$
REDUCTION OF AREA	$z(\%) = 60$
DENSITY WEIGHT	(20°C, g/cm ³): 7.93
MAGNETIC CONDUCTIVITY	NON-MAGNETIC

The above information is confirmed by the manufacturer on 22/04/2021.

High corrosion resistance & non-magnetic applications.

Suitable for work environments where contamination caused by rust, corrosion & magnetic fields.

Used in food, pharmaceutical, chemicals, production factories, equipment maintenance and areas with magnetic fields.

**T&E
TOOLS**®
www.tetools.com

The Professional Advantage ■■■

T&E Tools Pty Ltd.
Address: 55 Nelson Road, Yennora NSW 2161
Phone: +61 2 8868 3300 E-mail: sales@tetools.com
Fax: +61 2 9631 5140 Website: www.tetools.com